

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|---|---|------------------|---------|---------------------|
| S1 | 1 | 10/537549.app. | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:30 |
| S2 | 1012 | 705/16.cds. | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:35 |
| S3 | 444 | 705/17.cds. | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:36 |
| S4 | 1351 | S2 or S3 | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:36 |
| S5 | 101 | S4 and (recording near8 (apparatus or medium)) | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:38 |
| S6 | 234 | S4 and (register near5 (apparatus or device)) | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:41 |
| S7 | 135 | S4 and (recording near8 (apparatus or medium or device)) | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:42 |
| S8 | 30 | S6 and S7 | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:42 |
| S9 | 24 | S8 and (@pd<"20040217" or @ad<"20040217" or @rlad<"20040217" or @prad<"20040217") | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:46 |
| S10 | 40 | S4 and ((record\$5 or stor\$5) near8 (ic near3 card)) | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:50 |
| S11 | 8 | S6 and S10 | US-PGPUB; USPAT | OR | ON | 2009/08/15 16:51 |
| S12 | 1 | S11 and discount | US-PGPUB; USPAT | OR | ON | 2009/08/15 17:15 |
| S13 | 442 | 705/21.cds. | US-PGPUB; USPAT | OR | ON | 2009/08/15 17:16 |
| S14 | 84 | S13 and (register near5 (apparatus or device)) | US-PGPUB; USPAT | OR | ON | 2009/08/15 17:16 |
| S15 | 13 | S13 and ((record\$5 or stor\$5) near8 (ic near3 card)) | US-PGPUB; USPAT | OR | ON | 2009/08/15 17:17 |
| S16 | 3 | S14 and S15 | US-PGPUB; USPAT | OR | ON | 2009/08/15 17:18 |
| S17 | 26712 | ((recording near8 (apparatus or medium or device)) or ((IC or smart or memory) near5 card)) same (register or POS or point-of-sale or "point of sale") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:24 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S18 | 371 | S17 and ((calcul\$6 or determin\$6 or process\$6 or apply\$6) near8 discount) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:28 |
| S19 | 1085 | S17 and (reception near5 (apparatus or unit or device)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:33 |
| S20 | 161 | S17 and ((reception near5 (apparatus or unit or device)) same ((IC or smart or memory) near5 card)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:37 |
| S21 | 3 | S18 and S20 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:37 |
| S22 | 889 | S17 and (judg\$6 near5 (apparatus or unit or device)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:40 |
| S23 | 123 | S22 and payment | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:41 |
| S24 | 4 | S18 and S23 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:42 |
| S25 | 4633 | S17 and (stor\$6 with ((customer or user or bearer) near5 (information or data))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:44 |
| S26 | 1980 | S25 and ((register or POS or point-of-sale or "point of sale") with (output\$5 or transmit\$6 or transfer\$6)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:47 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S27 | 399 | S25 and (((register or POS or point-of-sale or "point of sale") with (output\$5 or transmit\$6 or transfer\$6)) same server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:50 |
| S28 | 29 | S18 and S27 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:50 |
| S29 | 2293 | S17 and ((shop or store or local or on-site) with server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:53 |
| S30 | 22 | S28 and S29 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:53 |
| S31 | 1381 | S29 and ((compar\$5 or match \$6) near10 (information or data or parameter or value)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:55 |
| S32 | 14 | S30 and S31 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:55 |
| S33 | 12 | S32 and ((external or party or other or second) with server) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:57 |
| S34 | 10 | S33 and (@pd<"20040217" or @ad<"20040217" or @rlad<"20040217" or @prad<"20040217") | US-PGPUB; USPAT | OR | ON | 2010/01/26 18:57 |
| S35 | 10 | S33 and (@pd<"20040217" or @ad<"20040217" or @rlad<"20040217" or @prad<"20040217") | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 18:58 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| S36 | 1 | S35 and S20 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 19:14 |
| S37 | 8494 | S17 and (storage near5 (apparatus or unit or device or terminal)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 19:18 |
| S38 | 1522 | S37 and (calculat\$6 near5 (apparatus or unit or device or terminal)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 19:19 |
| S39 | 4941 | S37 and (output near5 (apparatus or unit or device or terminal)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 19:21 |
| S40 | 1152 | S38 and S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 19:21 |
| S41 | 153 | S22 and S40 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 19:22 |
| S42 | 88 | S41 and (stor\$6 with (((customer or user or bearer) near5 (information or data))) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 19:22 |
| S43 | 2 | S42 and ((calcul\$6 or determin \$6 or process\$6 or apply\$6) near8 (coupon or voucher or discount)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2010/01/26 19:23 |

EAST Search History (Interference)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--------------|-----|------------------|---------|------------|
|-------|------|--------------|-----|------------------|---------|------------|

| | | | | | | |
|-----|-------|---|-----------------------|----|----|------------------|
| S45 | 15713 | ((recording near8 (apparatus or medium or device)) or ((IC or smart or memory) near5 card)) same (register or POS or point-of-sale or "point of sale")) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 11:42 |
| S46 | 12100 | ((calcul\$6 or determin\$6 or process\$6 or apply \$6) near8 (coupon or voucher or discount)) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 11:43 |
| S47 | 596 | S45 and S46 | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 11:43 |
| S48 | 336 | S47 and (stor\$6 with ((customer or user or bearer) near5 (information or data))) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 11:44 |
| S49 | 62 | S48 and (((register or POS or point-of-sale or "point of sale") with (output\$5 or transmit\$6 or transfer\$6)) same server) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 11:44 |
| S50 | 37 | S49 and ((compar\$5 or match\$6) near10 (information or data or parameter or value)) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 11:45 |
| S51 | 15713 | ((recording near8 (apparatus or medium or device)) or ((IC or smart or memory) near5 card)) same (register or POS or point-of-sale or "point of sale")) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:00 |
| S52 | 12100 | ((calcul\$6 or determin\$6 or process\$6 or apply \$6) near8 (coupon or voucher or discount)) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:00 |
| S53 | 596 | S51 and S52 | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:00 |
| S54 | 336 | S53 and (stor\$6 with ((customer or user or bearer) near5 (information or data))) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:00 |
| S55 | 62 | S54 and (((register or POS or point-of-sale or "point of sale") with (output\$5 or transmit\$6 or transfer\$6)) same server) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:00 |

| | | | | | | |
|-----|----|---|--------------------------|----|----|------------------|
| S56 | 37 | S55 and ((compar\$5 or match\$6) near10 (information or data or parameter or value)) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:00 |
| S57 | 32 | S56 and ((shop or store or local or on-site) with server) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:00 |
| S58 | 26 | S57 and ((external or party or other or second) with server) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:02 |
| S59 | 3 | S58 and (((transmit\$6 or send\$6 or transfer \$65) near8 (information or data)) with ((external or party or other or second) near10 server)) | US-PGPUB; USPAT; UPAD | OR | ON | 2010/01/27 12:10 |

1/ 27/ 2010 6:28:22 PM

C:\Documents and Settings\falmatrah\My Documents\EAST\Workspaces\ 10537549.wsp